EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	trip and (find$1me locate$1me)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:35
L2	12126251	@ad<"20040419"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:35
L3	12	1 and L2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:37
L4	0	telephony adj routing near IP with table	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:38
L5	2	telephony adj routing with table same IP	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:38
L6	11	telephony adj routing adj over adj internet adj protocol	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:39
L7	4844	trip and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:40
L8	3653	2 and 7	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:40
L9	196	trip with telephony	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:40
L10	114	9 and 2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:42
L11	94	trip$1lite	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:43

EAST Search History

L12	86	11 and 2	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 10:43
L13	1	trip$1lite and telephony	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 11:05
L14	1836	drop with priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 11:05
L15	108	14 same (update status)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 11:06
L16	74	2 and 15	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:05
L17	302	drop$4 with based with priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:06
L18	246	2 and 17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:06
L19	120	18 and ("370"/$.ccls. "379"/$.ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:11
L20	8	17 same (together simultan$ ("same" near time))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:12
L21	5	2 and 20	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:13
L22	411	drop with (lower higher) with priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:14
L23	338	2 and 22	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:17

L24	13	22 same (together simultan$ "same" near time)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/12 15:17
S1	294	trip same atm	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:32
S2	230	S1 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:33
S3	11	S2 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:44
S4	5	S2 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:35
S5	18	S2 and 370/395.1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:38
S6	7	S2 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:38
S7	5	S2 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 16:46
S8	8	S2 and 370/401.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:42
S9	0	S2 and 370/402.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:42
S10	0	S2 and 370/403.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:42
S11	2	S2 and 370/404.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:43

S12	326	voip same gateway same atm	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:43
S13	188	S12 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:43
S14	55	S13 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:44
S15	7971	update same priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:44
S16	5766	S15 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:45
S17	47	S16 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:46
S18	231	updat$3 near message same priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:46
S19	168	S18 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:46
S20	1	S19 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:47
S21	0	S19 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:47
S22	5	S19 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:48
S23	4	S19 and 370/401.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:50

S24	0	S19 and 370/402.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:50
S25	0	S19 and 370/403.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:50
S26	0	S19 and 370/404.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:51
S27	5	S19 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:52
S28	0	S19 and 370/395.1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:52
S29	621	voip same gateway near control$4	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:52
S30	300	S29 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:52
S31	129	S30 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:00
S32	12	S31 and trip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 14:53
S33	9	S30 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:03
S34	11	S30 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:06
S35	67	S30 and 370/401.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:17

S36	2	S35 and trip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:07
S37	1	S35 and (updat$ same priorit$)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:12
S38	1	S35 and atm and ss7 and sonet	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:13
S39	1	S30 and 370/402.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:19
S40	0	S30 and 370/403.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:19
S41	0	S30 and 370/404.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:19
S42	5	S30 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:21
S43	1	S30 and 370/395.1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:22
S44	3727	trip same table	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:22
S45	2837	S44 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:23
S46	10	S45 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:24
S47	6	S45 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:25

S48	3	S45 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:26
S49	18	S45 and 370/401.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:27
S50	3	S45 and 370/402.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:28
S51	1	S45 and 370/403.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:28
S52	0	S45 and 370/404.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:28
S53	9	S45 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:29
S54	2	S45 and 370/395.1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:36
S55	24	telephon$ near rout$ near internet	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:39
S56	14	S55 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:37
S57	111	telephony adj routing	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:39
S58	49	S57 with IP	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 15:41
S59	28	S58 and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/24 16:00

S60	8	("5544315", "5731534", "6600744", "6650238", "6795447", "6842107", "6925514", "6965599").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/25 16:01
S61	208	gateway near control$3 same prior$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/25 16:03
S62	146	S61 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/25 16:03
S63	35	S62 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:03
S64	921	voip same priorit$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:03
S65	467	S64 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:03
S66	87	S65 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:44
S67	320	(status update) near message with priorit$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:31
S68	267	S67 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:31
S69	5	S68 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:33
S70	4	S68 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:35
S71	3	S68 and 370/395.1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:35

S72	11	S68 and 370/40$1.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:39
S73	2	S68 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:40
S74	2	S68 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:40
S75	25	S65 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:45
S76	95	gateway same ATM same enterprise	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:45
S77	61	S76 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:46
S78	27	S77 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:53
S79	25	atm same ss7 same sonet same frame adj relay	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:54
S80	23	S79 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:59
S81	327	gateway same atm same voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:59
S82	188	S81 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:59
S83	55	S82 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/07/26 09:59

S84	4	09/527968	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 10:04
S85	4788	voice same data same priorit$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 10:23
S86	3042	S85 and @ay<"2003"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 10:23
S87	3505	S85 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 10:23
S88	274	S87 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:47
S89	40	S88 and (status same updat$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 10:24
S90	75	S87 and 370/392.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:50
S91	3	S90 and (status same updat$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:48
S92	588	gateway same network with priorit$	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:50
S93	423	S92 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:50
S94	52	S93 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:55
S95	81	atm with priorit$ with (ss7 sonet (frame adj relay) $1lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:12

S96	68	S95 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:56
S97	51	S96 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/01 15:56
S98	18	atm same priorit$ same (ss7 sonet (frame adj relay) $1lan) same updat$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:12
S99	16	S98 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:17
S10 0	1665	gateway same control$3 same updat$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:17
S10 1	1112	S100 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:18
S10 2	12	S101 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:25
S10 3	16	S101 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:35
S10 4	151	priorit$ with updat$3 near2 message	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:52
S10 5	116	S104 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:36
S10 6	0	S105 and 370/365.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:36
S10 7	1	S105 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:37

S10 8	2	S105 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:38
S10 9	45	S105 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:38
S11 0	170	priorit$ same update adj message	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:52
S11 1	123	S110 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:52
S11 2	48	S111 and "370"/$.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/02 09:53
S11 3	10	gateway same controller same status same updat$ same table	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 08:04
S11 4	3	S113 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 08:05
S11 5	45	voip and telephony adj routing	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 08:05
S11 6	25	S115 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 08:14
S11 7	4	telephony adj routing and trip with table	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 08:55
S11 8	224	gateway with ((call adj control adj system) or (media adj gateway adj controller) or soft$1switch) with message	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:23
S11 9	135	S118 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:23

S12 0	51	S119 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:52
S12 1	5	S119 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:54
S12 2	4	S119 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:54
S12 3	52	S119 and "370"/("401", "402", "403", "404").ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 09:55
S12 4	45	S119 and "370"/401.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:30
S12 5	1	transport adj type with priorit$ same gateway	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:32
S12 6	19	transport adj type same gateway	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:34
S12 7	14	S126 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:36
S12 8	874	atm same voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:37
S12 9	554	S128 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:37
S13 0	96	S129 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:37
S13 1	7	S130 and status near change	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:39

S132	15	S130 and status with message	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 10:39
S133	0	gateway with call adj control adj system with transfer	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:02
S134	2	gateway with call adj control adj system with updat$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:04
S135	383	gateway same updat$ near message	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:05
S136	250	S135 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:05
S137	30	S136 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:33
S138	58	gateway with call adj control adj system	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/03 13:33
S139	32	stat$2 near chang$3 with update same gateway	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 09:53
S140	24	S139 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 09:53
S141	31	voip same updat$ same stat$2 same gateway	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:02
S142	12	S141 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:14
S143	44	updat$ with gateway adj controller	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:15

S14 4	36	S143 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:21
S14 5	333	gateway with forward same controller	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:21
S14 6	250	S145 and @ay<"2004"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:21
S14 7	30	S146 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/08/08 10:22
S14 8	1112	(communication transport) near (type mode protocol) with priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 16:47
S14 9	12123855	@ad<"20040419"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 16:47
S15 0	835	S148 and S149	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 16:48
S15 1	32	S150 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 16:56
S15 2	10	S150 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 17:18
S15 3	316	(update status) near message with priority	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 17:19
S15 4	260	S153 and S149	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 17:19
S15 5	5	S154 and 370/352.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 17:20

S15 6	2	S154 and 370/465.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/11/29 17:22
S15 7	2	S154 and 370/466.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/06 09:05
S15 8	18	(findme locateme) and (subscriber user) near profile	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/11 14:01
S15 9	118	(find$1me locate$1me)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/11 14:01
S16 0	12126202	@ad<"20040419"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/11 14:02
S16 1	88	S159 and S160	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2007/12/11 14:08